


SAVA offers the equipment for testing according to EN 1610. The BS EN 1610 covers the construction and related testing of drains and sewers that are laid underground and/or operate under pressure. It is suitable for drains and sewers installed in the trenches, under the embankments or above ground.

Air test according to EN 1610

Water test according to EN 1610

AIR TEST CONCEPT



DIMENSIONS		1 PLUGS	2 ADAPTERS	3 INFLATION HOSES FOR FILLING THE PIPE	4 MEASURING HOSE	5 CONTROLLERS	6 INFLATION HOSES FOR PLUGS
FOR SMALLER PLUGS							
from	up to						
S6	S6-8	1 × PLUGY 1 × PLUGSY	1 × 60449	1 × 76684	1 × 78070	2 × 60010	2 × 78905
S8	S12		1 × 60450	1 × 76684	1 × 78070	2 × 60010	2 × 78905
FOR LARGER PLUGS [mm] / [inch]							
from	up to						
100-200 / 4"-8"	150-300 / 6"-12"	1 × PLUGY 1 × PLUGSY	1 × 60449	1 × 76684	1 × 78070	2 × 60310	2 × 76686
200-400 / 8"-16"	500-800 / 20"-32"		1 × 60450	1 × 60452	1 × 78070	2 × 60310	2 × 76686
500-1000 / 20"-40"			1 × 60450	1 × 60452	1 × 78070	2 × 74609	2 × 76686
600-1200 / 24"-48"			1 × 60443	1 × 60452	1 × 78070	2 × 74609	2 × 76686
750-1500 / 30"-60"	800-1800 / 32"-72"		1 × 60443	1 × 60452	1 × 78070	2 × 74653	2 × 76686


AIR TEST EQUIPMENT



ADAPTER R1", 2x QUICK ACTION COUPLING
60449



ADAPTER R2", WITH GEKA COUPLING, AND QUICK ACTION COUPLING
60450



ADAPTER R4", WITH GEKA COUPLING, AND QUICK ACTION COUPLING
60443



INFLATION HOSE 8 mm I.D. WITH QUICK ACTION COUPLING TO FILL THE PIPE
5 m (16.4')
76684



INFLATION HOSE 19 mm I.D. WITH GEKA COUPLING TO FILL THE PIPE
5 m (16.4'),
60452



MEASURING HOSE WITH NIPPLE AND GAUGE, RED
0-0.6 bar (0-9 psi), 10 m (33')
78070



SINGLE FITTING CONTROLLER,
2.5 bar (36 psi) 60310
1.5 bar (22 psi) 74609
1.0 bar (15 psi) 74653



INFLATION HOSE, YELLOW
10 m (33')
76686



HAND OPERATED PUMP
60010



INFLATION HOSE, TRANSPARENT,
5 m (16.4'),
78905

WATER TEST CONCEPT



DIMENSIONS		1 PLUGS	2 ADAPTERS	3 STORZ COUPLING	4 FLOATING BLEEDERS	5 CONTROLLERS	6 INFLATION HOSES FOR PLUGS
FOR SMALLER PLUGS							
from	up to						
S6	S6-8	2 × PLUGSY	1 × 60407	1 × 60380	1 × 60446	2 × 60010	2 × 78905
S8	S12		1 × 60412	1 × 60388	1 × 60448	2 × 60010	2 × 78905
FOR LARGER PLUGS [mm] / [inch]							
from	up to						
100-200 / 4"-8"	150-300 / 6"-12"	2 × PLUGSY	1 × 60407	1 × 60380	1 × 60446	2 × 60310	2 × 76686
200-400 / 8"-16"	500-800 / 20"-32"		1 × 60412	1 × 60388	1 × 60448	2 × 60310	2 × 76686
500-1000 / 20"-40"			1 × 60412	1 × 60388	1 × 60448	2 × 74609	2 × 76686
600-1200 / 24"-48"			1 × 60438	1 × 60428	1 × 60439	2 × 74609	2 × 76686
750-1500 / 30"-60"	800-1800 / 32"-72"		1 × 60438	1 × 60428	1 × 60439	2 × 74653	2 × 76686

WATER TEST EQUIPMENT



**ADAPTER, STORZ D
TEST AND MEASURING HOSE,
6 m (19.7')
60407**



**ADAPTER, STORZ C
TEST AND MEASURING HOSE,
6 m (19.7')
60412**



**ADAPTER, STORZ A
TEST AND MEASURING HOSE,
6 m (19.7')
60438**



**STORZ COUPLING
D 60380
C 60388
A 60428**



**FLOATING BLEEDER
HOSE R 1"**
60446



**FLOATING BLEEDER
HOSE R 2"**
60448



**FLOATING BLEEDER
HOSE R 4"**
60439



**INFLATION HOSE,
YELLOW
10 m (33')
76686**



**SINGLE FITTING CONTROLLER,
2.5 bar (36 psi) 60310
1.5 bar (22 psi) 74609
1.0 bar (15 psi) 74653**



**HAND PUMP
0.8 kg (1.8 lbs)
60010**



**INFLATION HOSE,
TRANSPARENT
5 m (16.4')
78905**