

Point Repair Carriers



6"-10" Point Repair Carrier - 60" Long

	<u>U.S. Standard</u>	<u>Metric</u>
Size Range	6.0"-10.0"	150 mm-250 mm
Diameter	4.25"	108 mm
Length	60.0"	1500 mm
Bypass Size	2.5"	64 mm
Required Inflation Pressure	25 psi	1.7 bar

Pipe Size	<u>Approximate Contact Area</u>	
	<u>U.S. Standard</u>	<u>Metric</u>
6.0" 150 mm	50.0"	1270 mm
8.0" 200 mm	50.0"	1270 mm
10.0" 250 mm	47.0"	1194 mm

Item Number: CA-610-60

6"-10" Point Repair Carrier - 96" Long

	<u>U.S. Standard</u>	<u>Metric</u>
Size Range	6.0"-10.0"	150 mm-250 mm
Diameter	4.25"	108 mm
Length	96.0"	2400 mm
Bypass Size	2.5"	64 mm
Required Inflation Pressure	25 psi	1.7 bar

Pipe Size	<u>Approximate Contact Area</u>	
	<u>U.S. Standard</u>	<u>Metric</u>
6.0" 150 mm	85.0"	2159 mm
8.0" 200 mm	85.0"	2159 mm
10.0" 250 mm	83.0"	2108 mm

Item Number: CA-610-96



6"-10" Point Repair Carrier - 120" Long

	<u>U.S. Standard</u>	<u>Metric</u>
Size Range	6.0"-10.0"	150 mm-250 mm
Diameter	4.25"	108 mm
Length	120.0"	3050 mm
Bypass Size	2.5"	64 mm
Required Inflation Pressure	25 psi	1.7 bar

Pipe Size	<u>Approximate Contact Area</u>	
	<u>U.S. Standard</u>	<u>Metric</u>
6.0" 150 mm	109.0"	2769 mm
8.0" 200 mm	109.0"	2769 mm
10.0" 250 mm	107.0"	2718 mm

Item Number: CA-610-120

6"-10" Point Repair Carrier - 144" Long

	<u>U.S. Standard</u>	<u>Metric</u>
Size Range	6.0"-10.0"	150 mm-250 mm
Diameter	4.25"	108 mm
Length	144.0"	3650 mm
Bypass Size	2.5"	64 mm
Required Inflation Pressure	25 psi	1.7 bar

Pipe Size	<u>Approximate Contact Area</u>	
	<u>U.S. Standard</u>	<u>Metric</u>
6.0" 150 mm	133.0"	3378 mm
8.0" 200 mm	133.0"	3378 mm
10.0" 250 mm	131.0"	3327 mm

Item Number: CA-610-144



6"-10" Point Repair Carrier - 180" Long

	<u>U.S. Standard</u>	<u>Metric</u>
Size Range	6.0"-10.0"	150 mm-250 mm
Diameter	4.25"	108 mm
Length	180.0"	4550 mm
Bypass Size	2.5"	64 mm
Required Inflation Pressure	25 psi	1.7 bar

Pipe Size	<u>Approximate Contact Area</u>	
	<u>U.S. Standard</u>	<u>Metric</u>
6.0" 150 mm	179.0"	4547 mm
8.0" 200 mm	179.0"	4547 mm
10.0" 250 mm	177.0"	4596 mm

Item Number: CA-610-180

8"-12" Point Repair Carrier - 60" Long

	<u>U.S. Standard</u>	<u>Metric</u>
Size Range	8.0"-12.0"	200 mm-300 mm
Diameter	5.25"	133 mm
Length	60.0"	1500 mm
Bypass Size	3.0"	76 mm
Required Inflation Pressure	25 psi	1.7 bar

Pipe Size	<u>Approximate Contact Area</u>	
	<u>U.S. Standard</u>	<u>Metric</u>
8.0" 200 mm	48.0"	1219 mm
10.0" 250 mm	46.0"	1168 mm
12.0" 300 mm	45.0"	1143 mm

Item Number: CA-812-60



8"-12" Point Repair Carrier - 96" Long

	<u>U.S. Standard</u>	<u>Metric</u>
Size Range	8.0"-12.0"	200 mm-300 mm
Diameter	5.25"	133 mm
Length	96.0"	2400 mm
Bypass Size	3.0"	76 mm
Required Inflation Pressure	25 psi	1.7 bar

<u>Pipe Size</u>	<u>Approximate Contact Area</u>	
	<u>U.S. Standard</u>	<u>Metric</u>
8.0" 200 mm	84.0"	2134 mm
10.0" 250 mm	82.0"	2083 mm
12.0" 300 mm	81.0"	2057 mm

Item Number: CA-812-96

8"-12" Point Repair Carrier - 120" Long

	<u>U.S. Standard</u>	<u>Metric</u>
Size Range	8.0"-12.0"	200 mm-300 mm
Diameter	5.25"	133 mm
Length	120.0"	3050 mm
Bypass Size	3.0"	76 mm
Required Inflation Pressure	25 psi	1.7 bar

<u>Pipe Size</u>	<u>Approximate Contact Area</u>	
	<u>U.S. Standard</u>	<u>Metric</u>
8.0" 200 mm	108.0"	2743 mm
10.0" 250 mm	106.0"	2692 mm
12.0" 300 mm	105.0"	2667 mm

Item Number: CA-812-120



8"-12" Point Repair Carrier - 144" Long

	<u>U.S. Standard</u>	<u>Metric</u>
Size Range	8.0"-12.0"	200 mm-300 mm
Diameter	5.25"	133 mm
Length	144.0"	3650 mm
Bypass Size	3.0"	76 mm
Required Inflation Pressure	25 psi	1.7 bar

Pipe Size	<u>Approximate Contact Area</u>	
	<u>U.S. Standard</u>	<u>Metric</u>
8.0" 200 mm	132.0"	3353 mm
10.0" 250 mm	130.0"	3302 mm
12.0" 300 mm	129.0"	3277 mm

Item Number: CA-812-144

8"-12" Point Repair Carrier - 180" Long

	<u>U.S. Standard</u>	<u>Metric</u>
Size Range	8.0"-12.0"	200 mm-300 mm
Diameter	5.25"	133 mm
Length	180.0"	4550 mm
Bypass Size	3.0"	76 mm
Required Inflation Pressure	25 psi	1.7 bar

Pipe Size	<u>Approximate Contact Area</u>	
	<u>U.S. Standard</u>	<u>Metric</u>
8.0" 200 mm	168.0"	4267 mm
10.0" 250 mm	164.0"	4166 mm
12.0" 300 mm	163.0"	4140 mm

Item Number: CA-812-180



10"-15" Point Repair Carrier - 60" Long

	<u><i>U.S. Standard</i></u>	<u><i>Metric</i></u>
<i>Size Range</i>	10.0"-15.0"	250 mm-375 mm
<i>Diameter</i>	7.25"	184 mm
<i>Length</i>	60.0"	1500 mm
<i>Bypass Size</i>	4.0"	102 mm
<i>Required Inflation Pressure</i>	25 psi	1.7 bar

<i>Pipe Size</i>	<u><i>Approximate Contact Area</i></u>	
	<u><i>U.S. Standard</i></u>	<u><i>Metric</i></u>
10.0" 250 mm	48.0"	1219 mm
12.0" 300 mm	46.0"	1168 mm
15.0" 375 mm	45.0"	1143 mm

Item Number: CA-1015-60

10"-15" Point Repair Carrier - 96" Long

	<u><i>U.S. Standard</i></u>	<u><i>Metric</i></u>
<i>Size Range</i>	10.0"-15.0"	250 mm-375 mm
<i>Diameter</i>	7.25"	184 mm
<i>Length</i>	96.0"	2400 mm
<i>Bypass Size</i>	4.0"	102 mm
<i>Required Inflation Pressure</i>	25 psi	1.7 bar

<i>Pipe Size</i>	<u><i>Approximate Contact Area</i></u>	
	<u><i>U.S. Standard</i></u>	<u><i>Metric</i></u>
10.0" 250 mm	84.0"	2134 mm
12.0" 300 mm	82.0"	2083 mm
15.0" 375 mm	81.0"	2057 mm

Item Number: CA-1015-96



10"-15" Point Repair Carrier - 120" Long

	<u>U.S. Standard</u>	<u>Metric</u>
Size Range	10.0"-15.0"	250 mm-375 mm
Diameter	7.25"	184 mm
Length	120.0"	3050 mm
Bypass Size	4.0"	102 mm
Required Inflation Pressure	25 psi	1.7 bar

Pipe Size	<u>Approximate Contact Area</u>	
	<u>U.S. Standard</u>	<u>Metric</u>
10.0" 250 mm	108.0"	2743 mm
12.0" 300 mm	106.0"	2692 mm
15.0" 375 mm	105.0"	2667 mm

Item Number: CA-1015-120

10"-15" Point Repair Carrier - 144" Long

	<u>U.S. Standard</u>	<u>Metric</u>
Size Range	10.0"-15.0"	250 mm-375 mm
Diameter	7.25"	184 mm
Length	144.0"	3650 mm
Bypass Size	4.0"	102 mm
Required Inflation Pressure	25 psi	1.7 bar

Pipe Size	<u>Approximate Contact Area</u>	
	<u>U.S. Standard</u>	<u>Metric</u>
10.0" 250 mm	132.0"	3353 mm
12.0" 300 mm	130.0"	3302 mm
15.0" 375 mm	129.0"	3277 mm

Item Number: CA-1015-144



10"-15" Point Repair Carrier - 180" Long

	<u>U.S. Standard</u>	<u>Metric</u>
Size Range	10.0"-15.0"	250 mm-375 mm
Diameter	7.25"	184 mm
Length	180.0"	4550 mm
Bypass Size	4.0"	102 mm
Required Inflation Pressure	25 psi	1.7 bar

Pipe Size	<u>Approximate Contact Area</u>	
	<u>U.S. Standard</u>	<u>Metric</u>
10.0" 250 mm	168.0"	4267 mm
12.0" 300 mm	164.0"	4166 mm
15.0" 375 mm	163.0"	4140 mm

Item Number: CA-1015-180

12"-18" Point Repair Carrier - 60" Long

	<u>U.S. Standard</u>	<u>Metric</u>
Size Range	12.0"-18.0"	300 mm-450 mm
Diameter	8.75"	222 mm
Length	60.0"	1500 mm
Bypass Size	6.0"	152 mm
Required Inflation Pressure	25 psi	1.7 bar

Pipe Size	<u>Approximate Contact Area</u>	
	<u>U.S. Standard</u>	<u>Metric</u>
12.0" 300 mm	49.0"	1245 mm
15.0" 375 mm	44.0"	1118 mm
18.0" 450 mm	43.0"	1092 mm

Item Number: CA-1218-60



12"-18" Point Repair Carrier - 96" Long

	<u>U.S. Standard</u>	<u>Metric</u>
Size Range	12.0"-18.0"	300 mm-450 mm
Diameter	8.75"	222 mm
Length	96.0"	2400 mm
Bypass Size	6.0"	152 mm
Required Inflation Pressure	25 psi	1.7 bar

Pipe Size	<u>Approximate Contact Area</u>	
	<u>U.S. Standard</u>	<u>Metric</u>
12.0" 300 mm	85.0"	2159 mm
15.0" 375 mm	80.0"	2032 mm
18.0" 450 mm	79.0"	2007 mm

Item Number: CA-1218-96

12"-18" Point Repair Carrier - 120" Long

	<u>U.S. Standard</u>	<u>Metric</u>
Size Range	12.0"-18.0"	300 mm-450 mm
Diameter	8.75"	222 mm
Length	120.0"	3050 mm
Bypass Size	6.0"	152 mm
Required Inflation Pressure	25 psi	1.7 bar

Pipe Size	<u>Approximate Contact Area</u>	
	<u>U.S. Standard</u>	<u>Metric</u>
12.0" 300 mm	109.0"	2769 mm
15.0" 375 mm	104.0"	2642 mm
18.0" 450 mm	103.0"	2616 mm

Item Number: CA-1218-120



12"-18" Point Repair Carrier - 144" Long

	<u>U.S. Standard</u>	<u>Metric</u>
Size Range	12.0"-18.0"	300 mm-450 mm
Diameter	8.75"	222 mm
Length	144.0"	3650 mm
Bypass Size	6.0"	152 mm
Required Inflation Pressure	25 psi	1.7 bar

Pipe Size	<u>Approximate Contact Area</u>	
	<u>U.S. Standard</u>	<u>Metric</u>
12.0" 300 mm	133.0"	3378 mm
15.0" 375 mm	128.0"	3251 mm
18.0" 450 mm	127.0"	3226 mm

Item Number: CA-1218-144

12"-18" Point Repair Carrier - 180" Long

	<u>U.S. Standard</u>	<u>Metric</u>
Size Range	12.0"-18.0"	300 mm-450 mm
Diameter	8.75"	222 mm
Length	180.0"	4550 mm
Bypass Size	6.0"	152 mm
Required Inflation Pressure	25 psi	1.7 bar

Pipe Size	<u>Approximate Contact Area</u>	
	<u>U.S. Standard</u>	<u>Metric</u>
12.0" 300 mm	169.0"	4293 mm
15.0" 375 mm	164.0"	4166 mm
18.0" 450 mm	163.0"	4140 mm

Item Number: CA-1218-180



15"-21" Point Repair Carrier - 60" Long

	<u><i>U.S. Standard</i></u>	<u><i>Metric</i></u>
<i>Size Range</i>	15.0"-21.0"	375 mm-550 mm
<i>Diameter</i>	12.0"	305 mm
<i>Length</i>	60.0"	1500 mm
<i>Bypass Size</i>	6.0"	152 mm
<i>Required Inflation Pressure</i>	20 psi	1.4 bar

<i>Pipe Size</i>	<u><i>Approximate Contact Area</i></u>	
	<u><i>U.S. Standard</i></u>	<u><i>Metric</i></u>
15.0" 350 mm	49.0"	1245 mm
18.0" 450 mm	44.0"	1118 mm
21.0" 550 mm	43.0"	1092 mm

Item Number: CA-1521-60

15"-21" Point Repair Carrier - 96" Long

	<u><i>U.S. Standard</i></u>	<u><i>Metric</i></u>
<i>Size Range</i>	15.0"-21.0"	375 mm-550 mm
<i>Diameter</i>	12.0"	305 mm
<i>Length</i>	96.0"	2400 mm
<i>Bypass Size</i>	6.0"	152 mm
<i>Required Inflation Pressure</i>	20 psi	1.4 bar

<i>Pipe Size</i>	<u><i>Approximate Contact Area</i></u>	
	<u><i>U.S. Standard</i></u>	<u><i>Metric</i></u>
15.0" 350 mm	85.0"	2159 mm
18.0" 450 mm	80.0"	2032 mm
21.0" 550 mm	79.0"	2007 mm

Item Number: CA-1521-96



15"-21" Point Repair Carrier - 120" Long

	<u>U.S. Standard</u>	<u>Metric</u>
Size Range	15.0"-21.0"	375 mm-550 mm
Diameter	12.0"	305 mm
Length	120.0"	3050 mm
Bypass Size	6.0"	152 mm
Required Inflation Pressure	20 psi	1.4 bar

Pipe Size	<u>Approximate Contact Area</u>	
	<u>U.S. Standard</u>	<u>Metric</u>
15.0" 350 mm	109.0"	2769 mm
18.0" 450 mm	104.0"	2642 mm
21.0" 550 mm	103.0"	2616 mm

Item Number: CA-1521-120

15"-21" Point Repair Carrier - 144" Long

	<u>U.S. Standard</u>	<u>Metric</u>
Size Range	15.0"-21.0"	375 mm-550 mm
Diameter	12.0"	305 mm
Length	144.0"	3650 mm
Bypass Size	6.0"	152 mm
Required Inflation Pressure	20 psi	1.4 bar

Pipe Size	<u>Approximate Contact Area</u>	
	<u>U.S. Standard</u>	<u>Metric</u>
15.0" 350 mm	133.0"	3378 mm
18.0" 450 mm	128.0"	3251 mm
21.0" 550 mm	127.0"	3226 mm

Item Number: CA-1521-144



15"-21" Point Repair Carrier - 180" Long

	<u>U.S. Standard</u>	<u>Metric</u>
Size Range	15.0"-21.0"	375 mm-550 mm
Diameter	12.0"	305 mm
Length	180.0"	4550 mm
Bypass Size	6.0"	152 mm
Required Inflation Pressure	20 psi	1.4 bar

Pipe Size	<u>Approximate Contact Area</u>	
	<u>U.S. Standard</u>	<u>Metric</u>
15.0" 350 mm	169.0"	4293 mm
18.0" 450 mm	164.0"	4166 mm
21.0" 550 mm	163.0"	4140 mm

Item Number: CA-1521-180