

## Single-Sized High Pressure Grout Packers / Joint Testers



24" Single-Size Joint Tester / Grout Packer - High Pressure

	<u>U.S. Standard</u>	<u>Metric</u>
<b>Size Range</b>	24.0"	600 mm
<b>Diameter</b>	21.0"	533 mm
<b>Width</b>	18.0"	457 mm
<b>Maximum Inflation Pressure</b>	150 psi	10.3 bar
<b>Max Allowable Test Pressure</b>	100 psi	6.9 bar

Item Number: 950-24

27" Single-Size Joint Tester / Grout Packer - High Pressure

	<u>U.S. Standard</u>	<u>Metric</u>
<b>Size Range</b>	27.0"	700 mm
<b>Diameter</b>	24.0"	610 mm
<b>Width</b>	18.0"	457 mm
<b>Maximum Inflation Pressure</b>	150 psi	10.3 bar
<b>Max Allowable Test Pressure</b>	100 psi	6.9 bar

Item Number: 950-27

30" Single-Size Joint Tester / Grout Packer - High Pressure

	<u>U.S. Standard</u>	<u>Metric</u>
<b>Size Range</b>	30.0"	750 mm
<b>Diameter</b>	27.0"	686 mm
<b>Width</b>	18.0"	457 mm
<b>Maximum Inflation Pressure</b>	150 psi	10.3 bar
<b>Max Allowable Test Pressure</b>	100 psi	6.9 bar

Item Number: 950-30



33" Single-Size Joint Tester / Grout Packer - High Pressure

	<u>U.S. Standard</u>	<u>Metric</u>
<b>Size Range</b>	33.0"	850 mm
<b>Diameter</b>	30.0"	762 mm
<b>Width</b>	18.0"	457 mm
<b>Maximum Inflation Pressure</b>	150 psi	10.3 bar
<b>Max Allowable Test Pressure</b>	100 psi	6.9 bar

Item Number: 950-33

36" Single-Size Joint Tester / Grout Packer - High Pressure

	<u>U.S. Standard</u>	<u>Metric</u>
<b>Size Range</b>	36.0"	900 mm
<b>Diameter</b>	33.0"	838 mm
<b>Width</b>	18.0"	457 mm
<b>Maximum Inflation Pressure</b>	150 psi	10.3 bar
<b>Max Allowable Test Pressure</b>	100 psi	6.9 bar

Item Number: 950-36

39" Single-Size Joint Tester / Grout Packer - High Pressure

	<u>U.S. Standard</u>	<u>Metric</u>
<b>Size Range</b>	39.0"	1000 mm
<b>Diameter</b>	36.0"	914 mm
<b>Width</b>	18.0"	457 mm
<b>Maximum Inflation Pressure</b>	150 psi	10.3 bar
<b>Max Allowable Test Pressure</b>	100 psi	6.9 bar

Item Number: 950-39



42" Single-Size Joint Tester / Grout Packer - High Pressure

	<u>U.S. Standard</u>	<u>Metric</u>
<b>Size Range</b>	42.0"	1050 mm
<b>Diameter</b>	39.0"	991 mm
<b>Width</b>	18.0"	457 mm
<b>Maximum Inflation Pressure</b>	150 psi	10.3 bar
<b>Max Allowable Test Pressure</b>	100 psi	6.9 bar

Item Number: 950-42

45" Single-Size Joint Tester / Grout Packer - High Pressure

	<u>U.S. Standard</u>	<u>Metric</u>
<b>Size Range</b>	45.0"	1150 mm
<b>Diameter</b>	42.0"	1067 mm
<b>Width</b>	18.0"	457 mm
<b>Maximum Inflation Pressure</b>	150 psi	10.3 bar
<b>Max Allowable Test Pressure</b>	100 psi	6.9 bar

Item Number: 950-45

48" Single-Size Joint Tester / Grout Packer - High Pressure

	<u>U.S. Standard</u>	<u>Metric</u>
<b>Size Range</b>	48.0"	1200 mm
<b>Diameter</b>	45.0"	1143 mm
<b>Width</b>	18.0"	457 mm
<b>Maximum Inflation Pressure</b>	150 psi	10.3 bar
<b>Max Allowable Test Pressure</b>	100 psi	6.9 bar

Item Number: 950-48



54" Single-Size Joint Tester / Grout Packer - High Pressure

	<u>U.S. Standard</u>	<u>Metric</u>
<b>Size Range</b>	54.0"	1350 mm
<b>Diameter</b>	51.0"	1295 mm
<b>Width</b>	18.0"	457 mm
<b>Maximum Inflation Pressure</b>	150 psi	10.3 bar
<b>Max Allowable Test Pressure</b>	100 psi	6.9 bar

Item Number: 950-54

60" Single-Size Joint Tester / Grout Packer - High Pressure

	<u>U.S. Standard</u>	<u>Metric</u>
<b>Size Range</b>	60.0"	1500 mm
<b>Diameter</b>	57.0"	1448 mm
<b>Width</b>	18.0"	457 mm
<b>Maximum Inflation Pressure</b>	150 psi	10.3 bar
<b>Max Allowable Test Pressure</b>	100 psi	6.9 bar

Item Number: 950-60

66" Single-Size Joint Tester / Grout Packer - High Pressure

	<u>U.S. Standard</u>	<u>Metric</u>
<b>Size Range</b>	66.0"	1650 mm
<b>Diameter</b>	63.0"	1600 mm
<b>Width</b>	18.0"	457 mm
<b>Maximum Inflation Pressure</b>	150 psi	10.3 bar
<b>Max Allowable Test Pressure</b>	100 psi	6.9 bar

Item Number: 950-66



72" Single-Size Joint Tester / Grout Packer - High Pressure

	<u><b>U.S. Standard</b></u>	<u><b>Metric</b></u>
<b>Size Range</b>	72.0"	1800 mm
<b>Diameter</b>	69.0"	1753 mm
<b>Width</b>	18.0"	457 mm
<b>Maximum Inflation Pressure</b>	150 psi	10.3 bar
<b>Max Allowable Test Pressure</b>	100 psi	6.9 bar

Item Number: 950-72

78" Single-Size Joint Tester / Grout Packer - High Pressure

	<u><b>U.S. Standard</b></u>	<u><b>Metric</b></u>
<b>Size Range</b>	78.0"	1950 mm
<b>Diameter</b>	75.0"	1905 mm
<b>Width</b>	18.0"	457 mm
<b>Maximum Inflation Pressure</b>	150 psi	10.3 bar
<b>Max Allowable Test Pressure</b>	100 psi	6.9 bar

Item Number: 950-78

84" Single-Size Joint Tester / Grout Packer - High Pressure

	<u><b>U.S. Standard</b></u>	<u><b>Metric</b></u>
<b>Size Range</b>	84.0"	2100 mm
<b>Diameter</b>	81.0"	2057 mm
<b>Width</b>	18.0"	457 mm
<b>Maximum Inflation Pressure</b>	150 psi	10.3 bar
<b>Max Allowable Test Pressure</b>	100 psi	6.9 bar

Item Number: 950-84



90" Single-Size Joint Tester / Grout Packer - High Pressure

	<u>U.S. Standard</u>	<u>Metric</u>
<b>Size Range</b>	90.0"	2250 mm
<b>Diameter</b>	87.0"	2210 mm
<b>Width</b>	18.0"	457 mm
<b>Maximum Inflation Pressure</b>	150 psi	10.3 bar
<b>Max Allowable Test Pressure</b>	100 psi	6.9 bar

Item Number: 950-90

96" Single-Size Joint Tester / Grout Packer - High Pressure

	<u>U.S. Standard</u>	<u>Metric</u>
<b>Size Range</b>	96.0"	2400 mm
<b>Diameter</b>	93.0"	2362 mm
<b>Width</b>	18.0"	457 mm
<b>Maximum Inflation Pressure</b>	150 psi	10.3 bar
<b>Max Allowable Test Pressure</b>	100 psi	6.9 bar

Item Number: 950-96